



2010 Piaggio P.180 Avanti II

2010 Piaggio P.180 Avanti II

Avanti II

Highlights

- ✓ Serial Number : 1201
- ✓ 2,122 FH TTSNEW (as of December 2025)
- ✓ Fresh of Pre-Buy Inspection
- ✓ Compliant with all ADs and SBs
- ✓ New Magnaghi Landing Gear in 2022
- ✓ Digital Nose Steering
- ✓ Collins IFIS 5000
- ✓ Electronic Charts + Maps Overlay
- ✓ ADS B-out
- ✓ LPV Capability
- ✓ CVR Provisions, 115 VAC Plugs
- ✓ SatCom AirCell ST-3100
- ✓ Max T.O. Weight 12,100 lb
- ✓ “Corporate 3” Cabin Layout (7+1 seats)
- ✓ No Damage History
- ✓ One Owner Since New



 **ORION FLY**

2010 Piaggio P.180 Avanti II

Avanti II



 **ORION FLY**

2010 Piaggio P.180 Avanti II

Avanti II

ENGINES: 2 x Pratt & Whitney PT6A-66B

LH : 2,122 TTSNEW

TBO : 3,600 FH

RH : 2,122 TTSNEW

PROPS : 2 x Hartzell HC-E5N-3A-HE/LE 8492/AL

Overhaul due : March 2028

INSPECTION OVERVIEW

Fresh Pre-Buy Inspection

Compliant with all ADs and SBs

Fresh 6-M, 1-YR inspection and ARC Renewal

C - Check **Next Due @ 5,400 FH**

D - Check

E. VR inspections **Next Due in June 2020**

5 - VR Inspections Next Due in June 2020

Landing Gear Overhaul Next Due : Aug 2037



ORIONFLY

2010 Piaggio P.180 Avanti II

Avanti II



ORION FLY

2010 Piaggio P.180 Avanti II

Avanti II

AVIONICS : Rockwell Collins Pro Line 21

- Radio Management System – Collins RTU-4200, CDU-3000
- Dual VHF COM - Collins VHF-4000 Transceiver with Antenna with 8.33 kHz spacing
- VHF NAV 1 + ADF - Collins NAV-4000 VOR/ILS/MKR/ADF Receiver with Antennae
- VHF NAV 2 - Collins NAV-4500 VOR/ILS/MKR Receiver with Antennae
- Single DME - Collins DME-4000 (3 channel) with Antenna
- Dual Mode S Flight ID Diversity Transponder - Collins TDR-94D
- Radio Altimeter - Collins ALT-4000 (Operation to 2500 ft) with Antennae
- Turbulence Detection Weather Radar - Collins RTA-852 with 12" Antenna
- TCAS I – L-3 Communications - SkyWatch HP model SKY899
- TAWS Class B with Worldwide Database – L-3 Landmark TAWS 8000
- Dual Audio Panel - Baker B1045
- Dual Cockpit Speaker
- Dual hand-held Microphone
- Dual Boom/Microphone/Headset
- EFIS with EIS – Three Collins displays AFD-3010, two DCP-3030, CCP-3000
- Flight Guidance System - Collins Dual FGC-3003
- Single FMS - Collins FMC-3000 (NAV to NAV and VNAV), CDU-3000
- DBU-4100
- GPS Sensor Unit - Collins GPS-4000A
- Dual ADS - Collins ADC-3000
- Dual AHRS - Collins AHC-3000 and FDU-3000
- Maintenance Diagnostic System - Collins MDC-3110
- Four Data Concentrator Unit - Collins DCU-3001
- Stand-by Cluster Instrument – L-3 Communications GH-3100
- Emergency Locator Transmitter – Techtest Model 503
- Dual Clock (Flight Hour Meter included)
- Dual Master Annunciator
- Dual Turn&Slip Indicator (shown on the displays)
- Reversionary/Miscellaneous Panel
- LPV Capability, ADS-B Out & RVSM Compliant



 ORION FLY

2010 Piaggio P.180 Avanti II

Avanti II




2010 Piaggio P.180 Avanti II

Avanti II

INTERIOR

- ✓ Light Beige leather upholstering with high-gloss veneer trimming
- ✓ Four single passenger PAC seats in club arrangement
- ✓ Dual executive tables
- ✓ Two-place divan
- ✓ One single passenger FWD facing PAC seat.
- ✓ Fully enclosed aft lavatory with sink
- ✓ Flushing potty and belted aft auxiliary passenger seat
- ✓ One LH Pyramid cabinet with drawers



 **ORION FLY**

2010 Piaggio P.180 Avanti II

Avanti II



 **Orion FLY**

Specifications as December 2025. Specifications are subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation.

2010 Piaggio P.180 Avanti II

Avanti II



ORION FLY

Specifications as December 2025. Specifications are subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation.

2010 Piaggio P.180 Avanti II

Avanti II



 **ORION FLY**

2010 Piaggio P.180 Avanti II

Avanti II



 **ORIONFLY**




ORION FLY

Aviation Consultancy and Aircraft Sales



Your Piaggio Avanti Specialist

Contact: **Massimo Isidori**
Phone: **+39 335 7367145**
E-Mail: **massimo@orionfly.it**
www.orionfly.it



Specifications are subject to verification upon inspection and should not provide a basis for reliance or create any other binding obligation.